

SEA RUNNER ET

STANDARD FEATURES



EFFECTIVE SEPTEMBER 1, 2013

WWW.HEWESCRAFT.COM

ET=Sea Runner Extended Transom, HT=Sea Runner Hardtop	ET	ET HT
Bilge pump: Single bilge pump with auto switch	standard	standard
Bow eye: Double, welded	standard	standard
Bow deck: self bailing, battery shelf, (N/A on 18' model)	standard	standard
Bow Rails: Aluminum	5"	12"
Cleats: 8" welded, gunwales/bow	4/1	6/1
Cup holders: Two on port-side dash	standard	standard
Decals: 15" vinyl side striping with graphics; black, white, blue, yellow, green, red, orange, charcoal	standard	standard
Fish box: 32 gallon in bow, with large hatch	standard	standard
Fish box: 40 gallon in transom with cutting board lid	standard	standard
Fuel tank: 52 gallon	standard	standard
Glove box: Lockable	standard	standard
Grab handle: Plastic grab style, inwale front port side	standard	standard
Grab handles: Welded, port and starboard windshield, glove box, transom	standard	standard
Instrument panel:	standard	standard
- Six water-resistant rocker style switches		
- Fuel gauge and knock out panels for 4 additional gauges		
- Power point		
- Twelve-gang expansion fuse block		
Lights: Cabin interior, one in SLC, two in RLC	N/A	standard
Lights: Navigational port and starboard, front windshield corners	standard	standard
Lights: Anchor, starboard stern, removable with storage clips	standard	standard
Paint: Light gray, full inside	standard	standard
Rails: Cabin top, 4" high, welded with two stanchions	N/A	standard
Rod grippers: Inwale, port and starboard, three pair each side	standard	N/A
Scupper drains: In bow, 2" x 4" oblong hole	standard	standard
Seat: Pair, high-back, swivel, horseshoe springs	standard	standard
Steering: No-feedback	standard	standard
Steering wheel: Stainless steel with rubber grip	standard	standard
Stern eyes: Welded, port and starboard	standard	standard
Storage: Dry seat boxes with lid	standard	standard
Storage tray: Front, port and starboard	standard	standard
Storage: Hatch in open bow	standard	standard
Storage: Hinged treadplate step between consoles	standard	standard
Storage: In floor	standard	standard
Storage: Nets, removable, under console	standard	standard
Transducer bracket: Port and starboard	standard	standard
Transom: Extended, 25" single engine and 20" shaft kicker	standard	standard
Windows: Screened, sliding side windows	N/A	standard
Windshield wipers: Port and starboard	Starboard	standard

****CANADIAN DEALERS:** Jump Seats and (Qty-2) additional grab handles are required for the 180 SR model to meet Transport Canada capacity requirements.

SEA RUNNER ET

AVAILABLE OPTIONS



EFFECTIVE SEPTEMBER 1, 2013

WWW.HEWESCRAFT.COM

Anchor Pulpit: Plain (Weld on or Bolt on)
Anchor Pulpit: With large stainless steel anchor roller (Weld on or Bolt on)
Anchor Pulpit: With large stainless steel anchor roller and capstan winch (Weld on or Bolt on)
Anchor Roller: Welded aluminum 5/8" max rope diameter
Anodes: Installed on port and starboard transducer brackets
Battery Selector Switch: One switch with dual trays, not wired
Bilge Pump: Second bilge pump
Canvas: Deluxe three bow, with or without top windows
Canvas: Bow and stern covers
Canvas color: black, blue, green, gray
Carpet: Sidewell, gray
Downrigger Bracket: Low profile, stand-alone
Downrigger Brackets: Plates (available with stern rails only) (N/A on 180 SR ET, 180 SR ET HT, and 200 SR ET HT)
Fuel/Water Separator: Single, (standard with Yamaha pre-rig)
Fuel Line Pickup: Additional for trolling motor
Fuel Tank: 85 gallon (N/A - 18')
Grab handles: Two grab style, on gunwales at motor well
Heater: Cabin interior (RLC only)
Lights: LED courtesy, two at transom and one at console
Livewell: Bow fish box upgrade
Livewell: ET fish box upgrade
Paint: Half- or full-side; red, black, white, blue, yellow, or green
Pre-rig: Yamaha, Honda, Mercury
Seat: High-back on dry box with lid, medium duty suspension, includes slide port or starboard
Seat: Short jump, pair, 21" closed storage boxes
Seat: Long jump, pair, 37" closed storage boxes (N/A with SLC)
Seat: Sleeper, pair, 42" with port side commode cutout (N/A with SLC) (N/A - 18') with or without privacy curtain
Seat: Pedestal, high-back seat with post and base installed, indicate location
Seat: Slide port or starboard
Sharkhide Oxidation Fighter
Steering: Hydraulic, Baystar for 150HP or less (N/A on 2nd steering station)
Steering: Hydraulic, SeaStar for 150HP or more (N/A - 18')
Stern Rails: 27" or 40" aluminum (Not available for all models)
Striping colors: 15" decal; black, white, blue, yellow, green, red, orange, charcoal
Swim Ladder: port or starboard
Trim Tabs: Electric, 9"x12" with LED indicator light (New Design for 2014) (N/A on 180)
Trolling Motor Power Point: at bow, wired to BOW battery storage area (20' and 22' models only)
Trolling Motor Power Point: at bow, wired to AFT battery storage area (18' models only)
Wash Down System
Windshield Side Windows: Short window wing (port and stbd)(n/a with HT)
Windshield Wiper: Port only (stbd standard)(port and stbd standard with HT)

SEA RUNNER ET

AVAILABLE OPTIONS



EFFECTIVE SEPTEMBER 1, 2013

WWW.HEWESCRAFT.COM

HARDTOP OPTIONS

Regular Length Cabin (RLC) with locking bulkhead door (replaces fish curtain) (N/A 18' and 20')

Regular Length Cabin (RLC) Fish curtain; black, blue, green or gray (N/A 18' and 20')

Short Length Cabin (SLC) Fish curtain; black, blue, green or gray

Carpet: Inwale, inside cabin, gray

Light: Flood on fishing deck, mounted on cabin top (N/A - SLC)

Rod Holder: Rocket launchers, eight station mounted to cabin top (N/A - SLC)

Steering: Second station, hydraulic, on bulkhead (N/A with Baystar steering)(N/A - 18' & 20')